

USB-C to HDMI with LAN Hub & PD Charging Adapter

(P/N: JU-H30L11-S1)



Features

- Instantly adds one HDMI port, Gigabit Ethernet port, two USB-A ports and power delivery through USB-C (DisplayPort signal enabled) connection for everyday applications.
- Supports HDMI video/audio out with display resolution up to 4Kx2K 30Hz
- Ethernet port delivers high speed transfer rate up to 1000 Mbps through wired networking.
- USB 3.2 Gen 1 ports support data transfer rate up to 5Gbps for fast data delivery
- Product is USB bus powered or use your external USB-C laptop power adapter supporting up to 100W
 Power Delivery (PD 3.0) passthrough (15W for dock & up to 85W for charging)
- Compatible with USB-C Gen 1 & Gen 2 Ultrabook, Chromebooks, tablets & Thunderbolt 3 / 4 laptops like HP, Dell, Lenovo, MacBooks; works with Windows, Mac OS, iPad OS, Chrome OS, Android
- Pocket size aluminum enclosure enhances durability further providing greater portability and easy transport in a laptop bag for convenient on-the-go use between work on home, office and business travel
- Plug-n-Play, no software installation required plus no external power is needed.


Package Contents

- USB-C to HDMI with LAN Hub & PD Charging Adapter
- User Reference Guide


Specifications

Chipset	VL102+PS176+RTL8153+VL817
Housing Material	Metal (Aluminum) with Plastic
Connectors	Input:
	1x USB-C, Male
	1x USB-C, Female, for PD 3.0 charging
	Output:
	1x 19-pin HDMI, Female
	1x 8-pin RJ45, Female
	2x 9-pin USB 3.2 Gen 1 Type-A, Female
Video Type	HDMI
Resolution	Up to 4Kx2K 30Hz
Audio	Yes
Compatible Networks	10/100/1000 Mbps
Data Transfer Rate	Up to 5Gb/s (USB 3.2 Gen 1)
Built-in Cable Length	6.29" (16cm)
Power	USB-C USB Bus-powered
	Power delivery 3.0 up to 100W
Color	Space gray
Product Dimensions	4.02" (W) x 2.20" (H) x 0.63" (D)
Weight	0.18 lbs
Operating Temperature	32 to 122 degrees F
Storage Temperature	14 to 140 degrees F
Humidity	5% to 85% RH (non-condensing)
Certifications	FCC / CE / RoHS
Warranty	2 years
Country of origin	China

Product Dimension



Product layout



HDMI output	Connector to HDMI TV/Monitor/Project
USB-C PD port	Connector the extra USB-C power source up to 100W and charging your laptop or devices up to 85W
USB-A 5Gbps port	Connect with USB-A devices and support 5Gbps data rate
Gigabit Ethernet port	Connect with Cat5e/6 network cable